The Winning Force



# **PBF** SERIES PRESS BRAKES



- Easy to Use
- Faster
- Productive
- Winning
- Ergonomic





# **DURMA** The Winning Force





DURMA

As a total supplier for sheet metal manufacturing with almost 60 years of experience, Durma understands and recognizes the challenges, requirements and expectations of the industry. We strive to satisfy the ever higher demands of our customers by continuously improving our products and processes while researching and implementing the latest technologies.

In our three production plants with a total of 150.000 m<sup>2</sup>, we dedicate 1,000 employees to delivering high quality manufacturing solutions at the best performance-to-price ratio in the market.

From the innovations developed at our Research & Development Center to the technical support given by our worldwide distributors, we all have one common mission: to be your preferred partner.



2 Top quality components

Present Durmazlar machines with **DURMA** name to the world.

High technology







High quality machines designed in R&D Centre

DURMA

# **PBF** Series Press Brakes

### Customer-oriented leader

We designed an excellent machine for our clients who do not need high stroke and work in three shifts. We support you with low investment costs, efficient, precise, minimum maintenance costs.


PBF series serves your company and advances your production standards.

# The Winning Force

### The "Magic Touch" for your company

Fast, productive and perfect bendings





# Gain More Power

### Easy solutions for your investments

PBF Hydraulic Press Breaks, featuring low investment cost, high productivity and perfect peformance / price ratio, ensures and obtains all solutions for your bending needs.



### **General Specifications**

- High sensitivity, Stress relieved steel construction body, long life Mono Block Frame
- · DURMA designed and copyrighted guiding system
- Ball Screw and linear guide integrated perfect back gauge system
- Durable, long life and sensitive bending capabale special hardened top tools
- Suitable for segmented tools special and fast tool holding system
- Sensitive solutions at long and deep bending
- High accuracy linear scales
- CE safety standards
- Environment friendly, efficient and perfect bending combinations

## Strong Back Gauge System



### Why DURMA Back Gauge?

Most important feature to achieve perfect bending is the stability and the design of the back gauge, which allows an impeccable and correct product to be produced.

The high speed **ballscrew** back gauge system movement is also supported with linear guides, which helps the back gauge achieve long life, greater sensitivity and strengthens against any collisions.

Special designed finger blocks with steps to achieve maximum stability can also be supplied for every kind of bending solution.

> Standard back gauge X CNC R manuel





# **Tool Holders and Tools**

Bending performance is increased with high European clamping system and easiness to use. Narrow table for Z bending and table designed for European style tool holder. DURMA is your solution partner with various tool options.



European Clamping System



European Type Bottom Tool - 4 V Die



Quick Release Clamping



DURMA Multi V Bottom Tool

# Safe and Accurate Bends with **Top Quality Equipments**

### **Crowning System**

Manual crowning system simplifies bending, which forces every point of the bending parts to acquire straight bends. The need for shimming is eliminated.

### **Easy Changeable Front Sheet Supports**

Rugged support arms with disappearing stops are mounted on the bottom table. This allows "finger-tip" lateral adjustment as required by the bend length of the part. They are also equipped with easy moveable, fast and accurate feeding of parts small or large.

**CE Safety Systems** 

Our machines are designed in accordance with Ce-Norms to ensure your safety with hydraulic, electric, appropriate height covers and laser light curtain. CE safety in tandem machine is provided with light barriers

Stable Top Beam Movement

By using long and plane guiding surface, all disadvantages of point guiding eliminated %100 free bending space: guiding system that eliminates bending between frame has been moved to the outside of the frame.






Manual Crowning System



Front Support Arms with T-Slot



CE Laser Safety System



90 Degree Endless Bend

DURMA Touch

# **DT10** Control Unit



- Automatic bend listing
- Archiving your bendings
- Easy bend functioning
- 2D color graphics display and multiple simulation
- Linux operating system
- D-Bend offline software
- Tandem compatible
- Multiple language options
- Ergonomic panel design
- USB port, back-up 10 "TFT color touch screen



### All the solutions are a click away with the DT10

Everything is Under Control With User-Friedly Interface...



12

Create profile with touch screen

Online service via Internet connection

Diagnostic mode

Easy programming page

Automatic bend calculation and listing

Tool programming and library



### D-Bend offline software

## Fast on Service and Spare Parts

DURMA provides the best level of service and spare parts with qualified personnel and spare parts in stock. Our experienced and professional service personnel are always ready at your service. Our professional training and application enriched courses will give you an advantage to use our machinery.





Consultancy





After Sales Service



Software



Training






**R&D** Center


Service Agreements

**Flexible Solution** 

			PBF 2560	PBF 30120	PBF 30200
Bending Force	Ton		60	120	200
Bending Lenght	mm	А	2550	3050	3050
Distance Between Columns	mm	В	2150	2550	2550
Stroke	mm	С	160	180	210
Daylight	mm	D	350	375	445
Throat Depth	mm	Е	250	250	250
Y Axes Rapid Speed	mm/sec		120	100	100
Y Axes Working Speed	mm/sec		9	9	7
Y Axes Return Speed	mm/sec		70	77	73
Table Height	mm	F	813	878	858
Table Width	mm	G	104	104	104
X Axes Working Speed	mm/sec		250	250	250
X Axes Travel	mm		620	620	620
Motor Power	kW		5,5	11	15
Lenght	mm	L	3250	3750	3750
Width	mm	W	1200	1230	1390
Height	mm	Н	2350	2400	2500
Weight Approx.	kg		4200	5900	7950

# **PBF** Series Technical Details





# Standard & Optional Equipment

### Standard Equipment

### Y1, Y2, X - 3 Axes

Control Unit - DT 10 Touch screen 2D graphic (Remote Control) Manual height adjustable Finger Blocks Back gauge: motorized & linear guide & ballscrew European clamping system European style bottom tool holder Support arms with T-Slot Safety side covers (Non CE) Special designed and World known hydraulic block and valves World known electrical equipments

### **Optional Equipment**

D-Bend offline software (3D importer) CE with Manuel F. AKAS II M FPSC-B-C (SAFETY PLC) Bottom tool DURMA Multi V European clamping system top tool European style bottom tool Quick release clamping Manuel crowning Additional finger blocks Additional support arms with T-Slot Oil coolant Overseas special packing









PRESS BRAKE



PUNCH



PLASMA



L ANGLE PROCESSING CENTER



ROLL BENDING



**IRON WORKER** 



POWER OPERATED SHEAR



BANDSAW





### VARIABLE RAKE SHEAR




### **PROFILE BENDING**



CORNER NOTCHER



### Today, Tomorrow and Forever with You..



### PBF SERIES PRESS BRAKES

### Durmazlar Makina San. ve Tic. A.Ş.

OSB 75. Yıl Bulvarı Nilüfer-Bursa / Türkiye P: +90 224 219 18 00 F: +90 224 242 75 80 info@durmazlar.com.tr

www.durmazlar.com.tr



Durmazlar Makina San. Tic. A.Ş. has right to change catalogue values and machine technical details without notice

